JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 27

AUTHOR INDEX

	No.	Page
1. ANDERSEN, HAROLD V., and MURRAY, GROVER E., Shallow Pleistocene fossils in St. Tammany Parish, Louisiana	6	845
2. APPLIN, ESTHER R., and APPLIN, PAUL L., Concerning the microfauna from Peñon Seep, Matanzas Province, Cuba	4	607
APPLIN, PAUL L., see APPLIN, ESTHER R. (2)		
3. BANDY, ORVILLE L., Ecology and paleoecology of some California Foraminifera. Part I. The frequency distribution of Recent Foraminifera off California	2	161
4. BANDY, ORVILLE L., Ecology and paleoecology of some California Foraminifera. Part II. Foraminiferal evidence of subsidence rates in the Ventura Basin	2	200
BARGHOORN, ELSO S., see TRAVERSE, ALFRED (93)		
5. BERG, ROBERT R., Franconian trilobites from Minnesota and Wisconsin	4	553
BERMUDEZ, P. J., see BRONNIMANN, P. (8)		
6. BOCK, WILHELM, American Triassic estherids	1	62
7. BOCK, WILHELM, *Howellisaura*, new name for *Howellites* Bock	5	759
8. BRONNIMANN, P., and BERMUDEZ, P. J., *Truncorotaloides*, a new foraminiferal genus from the Eocene of Trinidad, B.W.I.	6	817
9. BULLARD, FREDDA JEAN, Polymorphinidae of the Cretaceous (Cenomanian) Del Rio shale	3	338
10. CAMPBELL, ARTHUR S., New radiolarian genus, A	2	296
11. CAMPBELL, ARTHUR S., Errata	2	298
12. CARSOLA, ALFRED J., Possible planktonic occurrence of *Globigerina pachyderma* (Ehrenberg)	5	742
13. CARSON, CARLTON M., Heavy liquid concentration of Foraminifera	6	880
14. CARTER, D. J., Statistical study of *Operculina*	2	238
15. CASTER, KENNETH E., and KJELLESVIG-WAERING, ERIK N., *Melbournopterus*, a new Silurian eurypterid from Australia	1	153
16. COBBAN, W. A., New species of *Prionocyclus* from Upper Cretaceous Carlile shale, A	3	353
17. COLE, W. STORRS, Larger Foraminifera from the upper Eocene of Costa Rica	5	748
18. COLE, W. STORRS, Some late Oligocene larger Foraminifera from Panama	3	332
COLLINSON, CHARLES, see MILLER, A. K. (46)		
19. CRICKMAY, C. H., Notes on the Lower Cretaceous ammonite *Coloboceras*	6	879
20. CRICKMAY, C. H., *Warrenella*, a new genus of Devonian brachiopods	4	596
21. DANTE, JOHN H., Otoliths of a new fish from the Miocene of Maryland	6	877
DUNCAN, HELEN, see EASTON, W. H. (25)		
22. DURHAM, J. WYATT, New name for *Nipponaster* Durham, 1952	5	756
23. DURHAM, J. WYATT, *Scutellaster* and *Anorthoscutum*	1	147
24. DURHAM, J. WYATT, Type species of *Scutella*	3	347
25. EASTON, W. H., and DUNCAN, HELEN, *Archimedes* and its genotype	5	737
EMERSON, WILLIAM K., see PUFFER, ELTON L. (66)		
26. EVITT, WILLIAM R., Observations on the trilobite *Ceraurus*	1	33
27. EVITT, WILLIAM R., and WHITTINGTON, HARRY B., Exoskeleton of *Flexicalymene* (Trilobita), The	1	49
28. FUJIMOTO, H., and KANUMA, M., *Minojapanella*, a new genus of Permian fusulinids	1	150
GARNER, H. F., see MILLER, A. K. (47, 48)		
29. GILL, WILLIAM DANIEL, Facies and fauna in the Bhadrar beds of the Punjab Salt Range, Pakistan	6	824
30. HAMILTON, EDWIN L., Upper Cretaceous, Tertiary and Recent planktonic Foraminifera from Mid-Pacific flat-topped seamounts	2	204
HARDING, J. P., see SYLVESTER-BRADLEY, P. C. (84)		
31. HARKER, PETER, New edrioasteroid from the Carboniferous of Alberta, A	2	288
32. HARKER, P., and HUTCHINSON, R. D., New occurrence and redescription of *Gogia prolifica* Walcott, A	2	285
33. HIBBARD, CLAUDE W., Correction, A	1	158
34. HIBBARD, CLAUDE W., Insectivores of the Rexroad fauna, upper Pliocene of Kansas, The	1	21

35. HOPPIN, RICHARD A., Oscillations in the Vicksburg Stage as shown by the Foraminifera from a well in George County, Mississippi 4 577
36. HUDSON, R. G. S., Stromatoporoid genus *Millestroma* Gregory, The 6 884
HUTCHINSON, R. D., see HARKER, P. (32)
37. JOHNSON, J. HARLAN, and STEWART, W. ALAN, Eocene coralline algae from the Meganos formation, California 1 130
KANUMA, M., see FUJIMOTO, H. (28)
38. KEEN, A. MYRA, Three regional checklists of interest to paleontologists (Reviews of) 1 159
KJELLESVIG-WAERING, ERIK N., see CASTER, KENNETH E. (15)
39. LA RIVERS, IRA, Lower Pliocene frog from western Nevada, A 1 77
LAUBENFELS, M. W. DE, see OKULITCH, VLADIMIR J. (61)
40. LAUDON, LOWELL R., and SEVERSON, JOHN L., New crinoid fauna, Mississippian Lodgepole formation, Montana 4 505
41. LOCHMAN, CHRISTINA, Analysis and discussion of nine Cambrian trilobite families .. 6 889
42. LOCHMAN, CHRISTINA, Corrections to trilobites in "Cambrian stratigraphy and paleontology near Caborca, northwestern Sonora, Mexico" 3 486
43. LOCHMAN, CHRISTINA, Notes on Cambrian trilobites—Homonyms and synonyms 6 886
44. MCLAUGHLIN, KENNETH P., Microfauna of the Pennsylvania Glen Eyrie formation, Colorado: corrections 2 298
45. MALKIN, DORIS S., Biostratigraphic study of Miocene Ostracoda of New Jersey, Maryland and Virginia 6 761
46. MILLER, A. K., and COLLINSON, CHARLES, Aberrant nautiloid of the Timor Permian, An 2 293
47. MILLER, A. K., and GARNER, H. F., Goniatite genus *Prolecanites* in America, The 6 814
48. MILLER, A. K., and GARNER, H. F., Upper Carboniferous goniatites from Argentina .. 6 821
49. MUNSEY, GORDON C., JR., Paleocene ostracode fauna from the Coal Bluff marl member of the Naheola formation of Alabama, A 1 1
50. MURRAY, GROVER E., Bibliography of Utah geology by Walter R. Buss (Review of) .. 6 898
51. MURRAY, GROVER E., Louis Joseph Wilbert, Jr., 1919–1953 ..... 4 619
52. MURRAY, GROVER E., Pre-Cornell and early Cornell I. (Agassiz and Cornell). II. (Letters to C. F. Hartt) by Albert Hagen Wright (Reviews of) 6 898
53. MURRAY, GROVER E., The Jacksonian Stage in southeastern Arkansas by Louis J. Wilpert, Jr. (Review of) 6 897
MURRAY, GROVER E., see ANDERSEN, HAROLD V. (1)
54. NELSON, C. A., Revision of Croixan dikelocephalids—a comment 5 734
55. NICOL, DAVID, Period of existence of some late Cenozoic pelecypods 5 706
56. NICOL, DAVID, Study of the polymorphic species *Glycymeris americana*, A 3 451
57. NICOL, DAVID, Systematic position of the pelecypod *Euloxa* 1 56
58. NICOL, DAVID, Systematic position of the pelecypod *Pliocardia* 5 703
59. NOREM, W. L., Separation of spores and pollen from siliceous rocks 6 881
60. NORRIS, ROBERT M., Buried oyster reefs in some Texas bays 4 569
61. OKULITCH, VLADIMIR J., and LAUBENFELS, M. W. DE, Systematic position of Archaeocyatha (pleosponges), The 3 481
62. PALMER, A. R., *Aphelaspis* Resser and its genotype 1 157
63. PALMER, KATHERINE V. W., Gilbert Dennison Harris, 1864–1952 ..... 4 615
PARKS, JAMES M., see SPRENG, WEALTHY PURRINGTON (80)
PEACHY, FREDERIC, see WELLES, S. P. (96)
64. PETERS, JAMES A., Fossil snake of the genus *Heterodon* from the Pliocene of Kansas, A 3 328
PITRAT, C. W., see THOMPSON, M. L. (89)
65. PROUTY, C. E., Studies of organic limestone and limestone-building organisms, compiled by J. Harlan Johnson (Review of) 4 613
66. PUFFER, ELTON L., and EMERSON, WILLIAM K., Molluscan community of the oyster-reef biotope on the central Texas coast, The 4 537
67. PURI, HARBANS S., Taxonomic comment on: "Ostracoda from wells in North Carolina. Part I: Cenozoic Ostracoda" by F. M. Swain 5 750
68. RAW, FRANK, External morphology of the trilobite, The 1 82
69. REDMOND, C. D., Miocene Foraminifera from the Tubara beds of northern Colombia 5 708
70. RIEDEL, WILLIAM R., Mesozoic and late Tertiary Radiolaria of Rotti 6 805
71. RHODES, F. H. T., Nomenclature of conodont assemblages, with footnote on a correction of the name "*Scottella*" 4 610
72. ROSS, REUBEN JAMES, JR., Additional Garden City (early Ordovician) trilobites ... 5 633
SANDERSON, G. A., see THOMPSON, M. L. (89)
SEVERSON, JOHN L., see LAUDON, LOWELL R. (40)
73. SHAVER, ROBERT H., Ontogeny and sexual dimorphism in *Cytherella bullata* 3 471
74. SHAW, ALAN B., Paleontology of northwestern Vermont III. Miscellaneous Cambrian fossils 1 137

75. SINCLAIR, G. WINSTON, Naming of conodont assemblages, The ... 3 489
76. SINCLAIR, G. WINSTON, Notes on forensic paleontology ... 4 608
77. SINCLAIR, G. WINSTON, Report on Biological Abstracts, A ... 2 297
78. SINCLAIR, G. WINSTON, Type species of *Aculeodiscus* and the status of *Dawsonia* (Cambrian trilobites), The ... 3 490
79. SMITH, STANLEY, New name for *Prismatophyllum parvulum* Smith 1945 ... 5 759
80. SPRENG, WEALTHY PURRINGTON, and PARKS, JAMES M., Evolution in basal plates of monocyclic camerate crinoids ... 4 585
STEWARD, W. ALAN, see JOHNSON, J. HARLAN (37)
81. STRIMPLE, HARRELL L., New species of *Archaeocrinus* from Oklahoma, A ... 4 604
82. STUMM, ERWIN C., New name for *Cyathophyllum quadrigeminum arctica* Loewe ... 5 759
83. SWAIN, FREDERICK M., Ostracoda from the Camden chert, western Tennessee ... 2 257
84. SYLVESTER-BRADLEY, P. C., and HARDING, J. P., Nomenclature of the ostracode genus *Cytherideis* The ... 5 753
85. TASCH, PAUL, Causes and paleoecological significance of dwarfed fossil marine invertebrates ... 3 356
86. TASCH, PAUL, Nautiloids and ammonoids of the Pennsylvanian "Dry shale fauna" ... 3 445
87. TASCH, PAUL, Taxonomy of the trilobite genera *Lonchocephalus* and *Welleraspis* ... 5 745
88. THALMANN, HANS E., Bibliography and index to new genera, species, and varieties of Foraminifera for the year 1952 ... 6 847
89. THOMPSON, M. L., PITRAT, C. W., and SANDERSON, G. A., Primitive Cache Creek fusulinids from central British Columbia ... 4 545
90. THOMPSON, M. L., Primitive *Fusulinella* from southern Missouri ... 3 321
91. THOMPSON, M. L., Primitive *Fusulinella* from southern Missouri: a correction ... 5 748
92. TORIYAMA, RYUZO, New peculiar fusulinid genus from the Akiyoshi limestone of southwestern Japan ... 2 251
93. TRAVERSE, ALFRED, and BARGHOORN, ELSO S., Micropaleontology of the Brandon lignite, an early Tertiary coal in central Vermont: preliminary note ... 2 289
94. VOORTHUYSEN, J. H. VAN, Some remarks about the Plio-Pleistocene microbiostratigraphy in northwestern Europe and in North America ... 4 601
95. WALTER, J. C., JR., Paleontology of Rustler formation, Culberson County, Texas ... 5 679
96. WELLES, S. P., and PEACHY, FREDERIC, Family endings ... 5 756
97. WELLES, S. P., Jurassic plesiosaur vertebrae from California ... 5 743
98. WETZEL, OTTO, Résumé of microfossils from Upper Cretaceous flints and chalks of Europe ... 6 800
99. WHITTINGTON, HARRY B., North American Bathyuridae and Leiostegiidae (Trilobita) ... 5 647
WHITTINGTON, HARRY B., see EVITT, WILLIAM R. (27)
100. WILSON, JOHN ANDREW, New mastodont from the Miocene of Oregon, with remarks on *Gomphotherium*, A, by Theodore Downs (Review of) ... 6 898
101. WILSON, JOHN A., Paleontology and modern biology by D. M. S. Watson (Review of) 4 613
102. WILSON, JOHN ANDREW, Permian vertebrates from Taylor County, Texas ... 3 456
103. YEN, TENG-CHIEN, Designation of a genotype for *Reesidella* Yen ... 1 157
104. ZELLER, DORIS E. NODINE, Endothyroid Foraminifera and ancestral fusulinids from the type Chesteran (Upper Mississippian) ... 2 183

SUBJECT INDEX

Aculeodiscus (trilobite): type species (78).
Akiyoshiella (fusulinid): Pennsylvanian, Japan (92).
Alabama: ostracodes, Paleocene (49).
Alberta: edrioasteroid, Carboniferous (31); *Gogia prolifica* (pelmatozoan), Cambrian (32); *Warrenella* (brachiopod), Devonian (19).
algae, coralline: Meganos formation (Eocene), California (37).
ammonites: *Coloboceras*, Cretaceous (19); Dry shale (Pennsylvanian), Kansas (85, 86); *Prionocyclus*, Carlile shale (Cretaceous), South Dakota (16); *Prolecanites*, Salem limestone (Mississippian), Indiana (47); Upper Carboniferous, Argentina (48).
amphibians: frog, Pliocene, Nevada (39).
amphineurans: ecology, oyster reefs, Texas (66).
Anorthoscutum (echinoid): (23).
Aphelaspis (trilobite): (62).
Archaeocrinus (crinoid): Bromide formation (Ordovician), Oklahoma (81).
archaeocyathans (pleosponges): systematic position (61).
Archimedes (bryozoan): type species (25).
Argentina: ammonites, Upper Carboniferous (48).
Australia: *Melbournopterus* (eurypterid), Silurian (15).
bathyurids (trilobites): Ordovician, North America (99).
Bhadrar beds (Eocene): facies, faunas, Punjab Salt Range, Pakistan (29).

Biological Abstracts: (77).
brachiopods: Cambrian, Vermont (74); Dry shale (Pennsylvanian), Kansas (85); Rustler formation (Permian), Texas (95); *Warrenella*, Devonian, Alberta (20).
Brandon lignite (early Tertiary): paleobotany, Vermont (93).
British Columbia: fusulinids, Cache Creek group (Pennsylvanian) (89).
Bromide formation (Ordovician): *Archaeocrinus* (crinoid), Oklahoma (81).
bryozoans: *Archimedes*, type species (25); Cambrian, Vermont (74).
Cache Creek group (Pennsylvanian): fusulinids, British Columbia (89).
California: coralline algae, Meganos formation (Eocene) (37); foraminifers, ecology, Recent (3); foraminifers, paleocology (4); plesiosaur vertebrae, Franciscan formation (Jurassic) (97).
Cambrian: *Gogia prolifica* (pelmatozoan), Alberta (32); Gorge formation, Vermont (74); trilobites, analysis of nine families (41); trilobites, Franconian, Minnesota, Wisconsin (5); trilobites, homonyms, synonyms (43).
Camden chert (Devonian): ostracodes, Tennessee (83).
Carboniferous: ammonites, Argentina (48); edrioasteroid, Alberta (31).
Carlile shale (Cretaceous): *Prionocyclus* (ammonite), South Dakota (16).
Ceraurus (trilobite): Trentonian (Ordovician) (26).
Chesteran (Mississippian): endothyroid foraminifers, Illinois, Kentucky (104).
Coloboceras (ammonite): Cretaceous (19).
Colombia: foraminifers, Miocene (69).
conodonts: correction (44); nomenclature of assemblages (71).
coral: *Cyathophyllum quadrigeminum arctica*, new name for (82): *Prismatophyllum parvulum*, new name for (79).
Costa Rica: foraminifers, Eocene (17).
Cretaceous: *Coloboceras* (ammonite) (19); foraminifers, Del Rio shale, Texas; Pacific planktonic foraminifers (30); *Prionocyclus* (ammonite), Carlile shale, South Dakota (16); Upper, microfossils, Europe (98).
crinoids: *Archaeocrinus*, Bromide formation (Ordovician), Oklahoma (81); Lodgepole formation (Mississippian), Montana (40); monocyclic camerate, evolution in basal plates (80).
Cuba: foraminifers, Peñon Seep (2).
Cyathophyllum quadrigeminum arctica (coral): new name for (82).
Cytherella bullata (ostracode): ontogeny, sexual dimorphism (73).
Cytherideis (ostracode): nomenclature (84).
Del Rio shale (Cretaceous): foraminifers, Texas (9).
Devonian: ostracodes, Camden chert, Tennessee (83); *Warrenella* (brachiopod), Alberta (20).
dikelocephalids (trilobites): revision of, comment (54).
Dry shale (Pennsylvanian): ammonites, nautiloids, Kansas (86); fauna, paleoecology, Kansas (85).
dwarfed fossil marine invertebrates: (85).
echinoids: Bhadrar beds (Eocene), Pakistan (29); *Nipponaster*, new name for (22); *Scutella* (24); *Scutellaster*, *Anorthoscutum* (23).
ecology: buried oyster reefs, Texas (60); foraminifers, Plio-Pleistocene, Europe, North America (94); foraminifers, Recent, California (3); molluks, oyster reefs, Texas (66).
edrioasteroids: Carboniferous, Alberta (31).
Eocene: coralline algae, Meganos formation, California (37); facies, faunas, Bhadrar beds, Pakistan (29); foraminifers, Costa Rica (17); *Truncorotaloides* (foraminifer), Trinidad (8).
estherids: classification, morphology, American, Triassic (6); *Howellites*, new name for (7).
Euloxa (pelecypod): St. Marys formation (Miocene), Maryland, Virginia (57).
eurypterids: *Melbournopterus*, Silurian, Australia (15).
fishes: otoliths, Miocene, Maryland (21); paleoniscoid, Permian, Texas (102).
Flexicalymene (trilobite): morphology (27).
foraminifers: *Akiyoshiella* (fusulinid), Pennsylvanian, Japan (92); Bhadrar beds (Eocene), Pakistan (29); biostratigraphy, Plio-Pleistocene, Europe, North America (94); ecology, Recent, California (3); endothyroid, Chesteran (Mississippian), Illinois, Kentucky (104); Eocene, Costa Rica (17); frequency oscillation, Vicksburg Stage (Oligocene), Mississippi (35); *Fusulinella* (fusulinid), Pennsylvanian, Missouri (90); fusulinids, Cache Creek group (Pennsylvanian), British Columbia (89); *Globigerina pachyderma*, possible planktonic occurrence (12); heavy liquid concentration (13); *Minojapanella* (fusulinid), Permian, Japan (28); Miocene, Colombia (69); new genera, species, varieties, bibliography and index for 1952 (88); Oligocene, Panama (18); *Operculina*, statistical study (14); paleoecology, California (4); Peñon Seep, Cuba (2); planktonic, Pacific (30); polymorphinid, Del Rio shale (Cretaceous), Texas (9); *Truncorotaloides*, Eocene, Trinidad (8).
Franciscan formation (Jurassic): plesiosaur vertebrae, California (97).
Franconian (Cambrian): trilobites, Minnesota, Wisconsin (5).
frog: Pliocene, Nevada (39).
Fusulinella (fusulinid): Pennsylvanian, Missouri (90).
fusulinids: *Akiyoshiella*, Pennsylvania, Japan (92); Cache Creek group (Pennsylvanian), British Columbia (89); *Fusulinella*, Pennsylvanian, Missouri (90); *Minojapanella*, Permian, Japan (28).
Garden City formation (Ordovician): trilobites, Utah (72).

gastropods: Dry shale (Pennsylvanian), Kansas (85); ecology, oyster reefs, Texas (66); *Reesidella* (103); Rustler formation (Permian), Texas (95).
Globigerina pachyderma (foraminifer): possible planktonic occurrence (12).
Glycymeris americana (pelecypod): evolution, distribution (56).
Gogia prolifica (pelmatozoan): Cambrian, Alberta (32).
Gorge formation (Cambrian): fauna, Vermont (74).
graptolites: Cambrian, Vermont (74).
Harris, Gilbert Dennison (1864–1952): memorial (63).
Heterodon (snake): Pliocene, Kansas (64).
Howellites (esterid): new name for (7).
Illinois: endothyroid foraminifers, Chesteran (Mississippian) (104).
Indiana: *Prolecanites* (ammonite), Salem limestone (Mississippian) (47).
insectivores (mammals): Rexroad formation (Pliocene), Kansas (34).
Japan: *Akiyoshiella* (fusulinid), Pennsylvania (92); *Minojapanella* (fusulinid), Permian (28).
Jurassic: plesiosaur vertebrae, Franciscan formation, California (97).
Kansas: ammonites, nautiloids, Dry shale (Pennsylvanian) (86); fauna, paleoecology, Dry shale (Pennsylvanian) (85); *Heterodon* (snake), Pliocene (64); insectivores, Rexroad formation (Pliocene) (34).
Kentucky: endothyroid foraminifers, Chesteran (Mississippian) (104).
leiostegiids (trilobites): Ordovician, North America (99).
Lodgepole formation (Mississippian): crinoids, Montana (40).
Lonchocephalus (trilobite): taxonomy (87).
Louisiana: foraminifers, Pleistocene (1).
mammals: insectivores, Pliocene, Kansas (34).
Maryland: *Euloxa* (pelecypod), St. Marys formation (Miocene) (57); ostracodes, Miocene (45); otoliths, Miocene (21).
Meganos formation (Eocene): coralline algae, California (37).
Melbournopterus (eurypterid): Silurian, Australia (15).
micropaleontological techniques: heavy liquid concentration of foraminifers (13); separation of pollen and spores from siliceous rocks (59).
Millestroma (stromatoporoid): (36).
Minnesota: trilobites, Franconian (Cambrian) (5).
Minojapanella (fusulinid): Permian, Japan (28).
Miocene: *Euloxa* (pelecypod), St. Marys formation, Maryland (57); foraminifers, Colombia (69); ostracodes, New Jersey, Maryland, Virginia (45); otoliths, Maryland (21).
Mississippi: foraminifers, Vicksburg Stage (Oligocene) (35).
Mississippian: crinoids, Lodgepole formation, Montana (40); endothyroid foraminifers, Chesteran, Illinois, Kentucky (104); *Prolecanites* (ammonite), Salem limestone, Indiana (47).
Missouri: *Fusulinella* (fusulinid), Pennsylvanian (90).
Montana: crinoids, Lodgepole formation (Mississippian) (40).
Naheola formation (Paleocene): ostracodes, Alabama (49).
nautiloids: aberrant, Permian, Timor (46); Dry shale (Pennsylvanian), Kansas (86).
Nevada: frog, Pliocene (39).
New Jersey: ostracodes, Miocene (45).
Nipponaster (echinoid): new name for (22).
nomenclature: (76); conodont assemblages (71); conodont assemblages, comment (75); family endings (96).
North Carolina: ostracodes, Cenozoic, taxonomic comment (67).
Oklahoma: *Archaeocrinus* (crinoid), Bromide formation (Ordovician) (81).
Oligocene: foraminifers, Panama (18); foraminifers, Vicksburg Stage, Mississippi (35).
Operculina (foraminifer): statistical study (14).
Ordovician: *Archaeocrinus* (crinoid), Bromide formation, Oklahoma (81); bathyurids and leiostegiids (trilobites), North America (99); *Ceraurus* (trilobite), Trentonian (26); trilobites, Garden City formation, Utah (72).
ostracodes: Camden chert (Devonian), Tennessee (83); Cenozoic, North Carolina, taxonomic comment (67); correction (44); *Cytherella bullata*, ontogeny, sexual dimorphism (73); *Cytheridеis*, nomenclature (84); Dry shale (Pennsylvanian), Kansas (85); Miocene, New Jersey, Maryland, Virginia (45); Naheola formation (Paleocene), Alabama (49).
otoliths: Miocene, Maryland (21).
oyster reefs: buried, Texas (60); mollusks, ecology, Texas (66).
Pacific: planktonic foraminifers (30).
Pakistan: facies, faunas, Bhadrar beds (Eocene), Punjab Salt Range (29).
paleobotany: Brandon lignite (early Tertiary), Vermont (93).
Paleocene: ostracodes, Naheola formation, Alabama (49).
paleoecology: dwarfed fossil marine invertebrates (85); foraminifers, California (4); foraminifers, frequency oscillations, Vicksburg Stage (Oligocene), Mississippi (35).
Panama: foraminifers, Oligocene (19).
pelecypods: Dry shale (Pennsylvanian), Kansas (85); ecology, oyster reefs, Texas (66); *Euloxa*;

systematic position, morphology, St. Marys formation (Miocene), Maryland, Virginia (57), *Glycymeris americana*, evolution, distribution (56); periods of existence, late Cenozoic (55); *Pliocardia*, systematic position, morphology (58); Rustler formation (Permian), Texas (95).
pelmatozoans: *Gogia prolifica*, Cambrian, Alberta (32).
Pennsylvanian: *Akiyoshiella* (fusulinid), Japan (92); ammonites, nautiloids, Dry shale, Kansas (86); fauna, paleoecology, Dry shale, Kansas (85); *Fusulinella* (fusulinid), Missouri (90); fusulinids, Cache Creek group, British Columbia (89).
Permian: *Minojapanella* (fusulinid), Japan (28); nautiloid, Timor (46); paleoniscoid fish, Texas (102); paleontology, Rustler formation, Texas (95).
Pleistocene: foraminifers, Europe, North America (94); foraminifers, Louisiana (1).
pleosponges (archaeocyathans): systematic position (61).
plesiosaurs: vertebrae, Franciscan formation (Jurassic), California (97).
Pliocardia (pelecypod): systematic position, morphology (58).
Pliocene: foraminifers, Europe, North America (94); frog, Nevada (39); *Heterodon* (snake), Kansas (64); insectivores, Rexroad formation, Kansas (34).
pollen: separation from siliceous rocks (59).
Prismatophyllum parvulum (coral): new name for (79).
Prionocyclus (ammonite): Carlile shale (Cretaceous), South Dakota (16).
Prolecanites (ammonite): Salem limestone (Mississippian), Indiana (47).
Punjab Salt Range (Pakistan): fauna, facies, Bhadrar beds (Eocene) (29).
radiolarians: correction (11); Mesozoic, Tertiary, Rotti (70); new genus (10).
Reesidella (gastropod): (103).
Rexroad formation (Pliocene): insectivores, Kansas (34).
Rotti: radiolarians, Mesozoic, Tertiary (70).
Rustler formation (Permian): paleotology, Texas (95).
Salem limestone (Mississippian): *Prolecanites* (ammonite), Indiana (47).
scaphopods: Rustler formation (Permian), Texas (95).
Scotella (conodont): correction (71).
Scutella (echinoid): (24).
Scutellaster (echinoid): (23).
Silurian: *Melbournopterus* (eurypterid), Australia (15).
snakes: *Heterodon*, Pliocene, Kansas (64).
South Dakota: *Prionocyclus* (ammonite), Carlile shale (Cretaceous) (16).
spores: separation from siliceous rocks (59).
St. Marys formation (Miocene): *Euloxa* (pelecypod), Maryland, Virginia (57).
stromatoporoids: *Millestroma* (36).
Tennessee: ostracodes, Camden chert (Devonian) (83).
Tertiary: Pacific planktonic foraminifers (30); radiolarians, Rotti (70).
Texas: buried oyster reefs (60); foraminifers, Del Rio shale (Cretaceous) (9); mollusks, ecology, oyster reefs (66); paleoniscoid fish, Permian (102); paleontology, Rustler formation (Permian) (95).
Timor: nautiloid, Permian (46).
Trentonian (Ordovician): *Ceraurus* (trilobite) (26).
Triassic: esterids, American (6).
trilobites: *Aculeodiscus*, type species (78); *Aphelaspis* (62); bathyurids, leiostegiids, Ordovician, North America (99); Cambrian, analysis of nine families (41); Cambrian, homonyms, synonyms (43); Cambrian, Mexico, correction (42); Cambrian, Vermont (74); *Ceraurus*, Trentonian (Ordovician) (26); dikelocephalids, revision of, comment (54); *Flexicalymene*, morphology (27); Franconian (Cambrian), Minnesota, Wisconsin (5); Garden City formation (Ordovician), Utah (72); *Loncho-cephalus*, *Welleraspis*, taxonomy (87); morphology, evolution (68).
Trinidad: *Truncorotaloides* (foraminifer), Eocene (8).
Truncorotaloides (foraminifer): Eocene, Trinidad (8).
Utah: trilobites, Garden City formation (Ordovician) (72).
Vermont: fauna, Gorge formation (Cambrian) (74); paleobotany, Brandon lignite (early Tertiary) (93).
Vicksburg Stage (Oligocene): foraminifers, Mississippi (35).
Virginia: *Euloxa* (pelecypod), St. Marys formation (Miocene) (57); ostracodes, Miocene (45).
Warrenella (brachiopod): Devonian, Alberta (20).
Welleraspis (trilobite): taxonomy (87).
Wilbert, Louis Joseph, Jr. (1919–1953): memorial (51).
Wisconsin: trilobites, Franconian (Cambrian) (5).